


JCB S4046E Scissor Lift



Dimensions

Dimensions

D

Wheelbase

73in

E

Ground Clearance

4in

Solid Tyre Dimensions

305 x 115 mm, (12 x 4.5)in

Turning Radius - Outside

7.8ft in

Weight

6605.05lb

Platform

F

Max Platform Height

39ft in

Max Working Height

45ft in

Extension Outreach

2.96ft in

Max. Allowable Slope (Front/Back)

3degrees

Overall Height (Stowed, Guardrail Folded)

6.5ft in

Overall Height (Stowed, Guardrail Unfolded)

8.54ft in

Overall Length (Stowed , Guardrail Folded)

7.85ft in

Overall Width (Stowed)

3.78ft in

Max. Allowable Side Force (Outdoor)

45lb ft

Max Allowable Slope (Side/Side)

1.5degrees

Max Allowable Side Force (Indoor)

90lb ft

Max Allowable Wind Speed (Outdoor)

28mph

Max Driving Speed (Raised)

0.5mph

Max Driving Speed (Stowed)

2mph

Specifications

Electrical System

Power Unit

4.5hp

Input Voltage Of Charger

100-240 VAc

Output Voltage Of Charger

25 A

Battery

6V x 4 (240)

Engine

Engine Model

S4046E

**Operational
Load Capacity**

1554.3lb

**Hydraulic System
System Pressure**

3481psi

Hydraulic System Tank

5.9gal

Hydraulic Oil Capacity(Power Angle Tilt Dozer)

4.3gal

Brakes

Drive And Steer Model

2, front-wheel

Brakes Type

2, rear-wheel

Gradeability

25